


BEAMHOUSE**APPLICATION**

| | |
|------------------------|---|
| Antibac RC | Fungicide of general use |
| Antibac Z | Bactericide of general use |
| TRD-25 | Soaking-Degreasing agent for all kind of leathers |
| TRD-27 | Degreasing agent for all kind of leathers |
| TRD-33 | Degreasing agent of general use |
| TRD-62 | Degreasing agent for all kind of leathers. Fatliquoring auxiliary |
| TRD-75-E | Surfactant of general use |
| TRD-90-E | Degreasing agent for all kind of leathers |
| Bactol EG | Liming auxiliary |
| Reskal S | Soft but deep delimiting |
| Rindol RN-RANGE | Ecological enzymatic bating |
| Omplex RANGE | Basifying masking agent highly effective |

SERADYE (DRUM)

| | | |
|--------------------|---|----------------|
| Havana HG |  | Acid brown 106 |
| Brown PN-R |  | Acid brown 106 |
| Brown PN-B |  | Acid brown 101 |
| Orange OR |  | Acid orange |
| Red RN |  | Acid red 97 |
| Yellow AN |  | Acid yellow 42 |
| Blue BN |  | Acid blue 24 |
| Black NN-2 |  | Acid black 210 |
| Black NN-25 |  | Acid black 210 |
| Black NN-3 |  | Acid black 210 |
| Black NP-1 |  | Sulphur black |
| Black NP-2 |  | Sulphur black |

AUXILIARIES DYES**APPLICATION****LIGHT FASTNESS**

| | | |
|------------------|---|-----------|
| Ecotint C | Fixing - dye exhausting agent | EXCELLENT |
| Ecotint G | Dye levelling agent | VERY GOOD |
| Ecotint N | Dispersing agent of vegetal and dying use | MEDIUM |

TANNING AND RETANNING

MINERAL *NATURE / APPLICATION*

| | |
|------------------|---|
| Sertan AL | <i>Based on aluminium.</i> Pretanning and retanning all kind of hides |
| Sertan CH | <i>Synthetic organo-metallic.</i> Pretanning and retanning for all kind of leathers |
| Sertan CO | <i>Chrome –synthetic-protein.</i> Pretanning and retanning all kind of hides |

REPLACEMENT-NEUTRALIZING SYNTANS APPLICATION

| | |
|--------------------|--|
| Sertan B | Retanning agent for light hides |
| Sertan BM | Retanning for soft hides |
| Sertan BSF | Retanning for soft hides |
| Sertan EL-B | Tanning retanning agent for white hides |
| Sertan IN | Fullness and softness with low astringency |
| Sertan PAK | Neutralising and retanning |
| Sertan ND | Dispersing agent of vegetal and dying use |
| Sertan RP | Pretanning synthetic for vegetal tanning |
| Neutrizer N | Neutralising auxiliary of general use |

POLYMERIC LIQUID *NATURE / APPLICATION*

| | |
|-------------------|---|
| Sertan ALD | <i>Aldehyde.</i> Pretanning, tanning and retanning for w.b, w.w and vegetable tanned leathers |
| Sertan POL | <i>Liquid melamine.</i> Pretanning wet-white and chrome leathers |
| Sertan RPC | <i>Modified styrene-maleic.</i> Compact for any type of leather with frayed structure |
| Sertan RR | <i>Polyacrylic resin.</i> Retanning and filling of chrome leather |

POLYMERIC RESIN-AMINES POWDER *NATURE / APPLICATION*

| | |
|-------------------|--|
| Sertan D-3 | Good filling effect, very white |
| Sertan DC | Good filling effect and grain flexibility |
| Sertan DCB | Good filling effect and grain flexibility |
| Sertan MC | Mixture of replacement syntans, resin and fillers. Good filling effect, very white |

SEVERALS *NATURE / APPLICATION*

| | |
|------------------|--|
| Sertan F | <i>Mineral filler.</i> Inert selective filling agent for retanning |
| Seccus FE | Iron stains removal (Ion Fe sequestering agent) |

VEGETAL SYNTAN *NATURE / APPLICATION*

| | |
|--------------------|---|
| Serfix MF-5 | Retanning agent for vegetable tanned leathers |
| Sertan BL | <i>Balanced mixture of vegetal extract and synthans.</i> Good fullness, roundness and buffability |
| Sertan IQ | <i>Balanced mixture of vegetal extract and synthans.</i> Good fullness, roundness and buffability |

FATLIQUORS**CRUDE** *NATURE* **LIGHT FASTNESS**

Seroil PB Raw neatsfoot type oil **GOOD**

SULPHATED **APPLICATION** **LIGHT FASTNESS**

Seroil PLS-N Soft hides with fullness and nice feel **GOOD**

SULPHITED **APPLICATION** **LIGHT FASTNESS**

Seroil UMR Very soft low dye shade reduction **GOOD**
Seroil MS Fatliquor of universal very suitable for vegetable tanned leathers **GOOD**
Seroil SMZ Sulphited fish oil deodorized and unoxidavle **VERY GOOD**
Seroil P High performance fatliquor suitable for tanning baths **GOOD**
Seroil TTK Very good body neither loosness nor dye shade reduction **EXCELLENT**
Seroil CMT Extremely softness with light weight and surface feeling **GOOD**
Seroil G Soft, light fastness, warm surface without any smell **GOOD**

SYNTHETIC **APPLICATION** **LIGHT FASTNESS**

Seroil BL For white leathers,double face leathers, general use **EXCELLENT**
Seroil CL Leathers with very good lubrication, low weight, **EXCELLENT**
Seroil FE Phosphoric ester soft, light weight. **EXCELLENT**
Seroil FO Phosphoric ester soft, light weight **EXCELLENT**
Seroil SPC Auxiliary penetration fatliquor of universal use **EXCELLENT**

ESPECIAL **APPLICATION** **LIGHT FASTNESS**

Seroil JP Waxy softness, surface touch with light wáter repellance **VERY GOOD**
Seroil L Auxiliary feeling agent, suitable for tanning baths (soft wet-blue) **GOOD**
Seroil L-2 Auxiliary feeling agent **GOOD**
Seroil LAN Anionic lanoline emulsion, slightly water repellent **MEDIUM**
Seroil SCB Cationic effect **EXCELLENT**
Seroil VS Stable in pre-tanning vegetal bath **GOOD**
Seroil WPH Extra waterproof **VERY GOOD**
Seroil WPS Waterproof leather fatliquor for soft leathers **VERY GOOD**

WAXES, BINDERS AND FILLING AGENTS

| | NATURE | HARDNESS | APPLICATION |
|-------------------------|------------------------------|-----------------|--|
| Filler 25 | Kaolin in aqueous dispersion | Hard | Good filling. It reduces the sticking |
| Serbrill BB | Protein and synthetic binder | Very soft | Thermoplastics and glazed |
| Serbrill BBV | Wax and natural binders | Soft | Basic in seasons |
| Serbrill BRS | Protein solution | Hard | High gloss glazed |
| Serbrill W-38/40 | Carnauba wax emulsion | Hard | For wax effect |
| Serbrill W-5 I | Synthetic no ionic wax | Soft | Wax for groundings |
| Serbrill W-58/B | Synthetic wax emulsion | Soft | White wax for special snow effects |
| Serbrill W-6 I | Soft wax and feeling agent | Soft | Bottom for nappa and garment |
| Serbrill W-63 | Synthetic wax emulsion | Hard | Wax hard "Crystal effect" |
| Serbrill W-74 | Wax emulsion and additives | Soft | Soft timber Pull-up |
| Serbrill W-95 | Wax fr burnt effect | Soft | Especially for" Sunburnt" |
| Serbrill W-100 | Soft wax and oils | Soft | Bleaching effect in the milling breaking |
| Serbrill ZB-2I | Wax and natural binders | Hard | Basic in seasons |











ACRYLIC AND POLYURETANE RESINS

| | APPLICATION | ELASTICITY | PARTICULE |
|------------------------|---|-------------------|------------------|
| Sercryl A-28 | For garment and soft nappa | Excellent | Small |
| Sercryl A-102 | For Lining articles and shoe upper | Excellent | Medium |
| Sercryl A-222 | Universal resin good for embossing | Excellent | Medium |
| Sercryl A-400 | Hard resin for universal or crack use | Hard | Big |
| Sercryl A-410 | Special for "CRACKING" | Hard | Big |
| Sercryl A-450 | For impregnations | Excellent | Small |
| Sercryl A-452 | Good anchorage for natural finishings | Good | Small |
| Sercryl A-459 | For impregnations | Excellent | Small |
| Sercryl A-460 | Universal resin | Excellent | Big |
| Sercryl A-490 | Universal resin | Good | Medium |
| Sercryl A-491 | High coverage universal use. Split finishing | Excellent | Big |
| Sercryl A-497 | Universal resin | Excellent | Small |
| Sercryl AFR | For upholstery and highly coverage articles | Excellent | Big |
| Sercryl E-150 | Thickener | Hard | 0,05-0,1 um |
| Sercryl PU-3 | Replaces nitro lacquers | Good | Medium |
| Sercryl PU-301 | For high quality splits and embossing | Very good | Medium |
| Sercryl PU-303 | Excellent for finishings with good recuperation | Excellent | Small |
| Sercryl PU-304 | To increase anchorage in all kind of finishes | Excellent | Small |
| Sercryl PU-345 | High gloss, finish top leather patent | Excellent | Medium |
| Sercryl PU-35 I | For high quality splits and embossing | Very good | Medium |
| Sercryl PU-M2 | Matt polyurethane | Excellent | Medium |













NITROCELLULOSIC AQUEOUS LACQUERS

| | APPLICATION | HARDNESS | GLOSS | FIXATION |
|----------------------|-----------------------------------|----------|--------|-----------|
| Serlac SWP | BIPHASE lacquer for universal use | Soft | High | Excellent |
| Serlac LW-5 | Fastness and high gloss | Medium | High | Excellent |
| Serlac LW-37 | Universal use | Medium | Medium | Very good |
| Serlac LW-38 | Gloss lacquer with natural handle | Medium | High | Excellent |
| Serlac LW-MT | Matt effect | Medium | Matt | Medium |
| Serlac LWN-55 | Black pigmented | Medium | High | Medium |

AQUEOUS PIGMENTS

| | COLOUR | NATURE |
|-------------------------------|---|--------------------------------------|
| Yellow Capafin WS |  | Organic pigment |
| Orange Capafin W |  | Organic pigment |
| Red Capafin W |  | Organic pigment |
| Bordeaux Capafin W |  | Organic pigment |
| Brown Capafin W |  | Iron oxide |
| Beige Capafin W |  | Iron oxide |
| Blue Capafin W |  | Organic pigment |
| White Capafin BT-70 OP |  | Titanium dioxide rutile optic effect |
| Black Capafin BN |  | Carbon black |
| Black Capafin Q |  | Carbon black |

ANILINE DYESTUFFS

| | COLOUR | APPLICATION |
|---------------------------|---|--|
| Yellow Seranil CL |  | Dyeing, groundings and full aniline |
| Yellow Seranil N |  | Dyeing, groundings and full aniline |
| Orange Seranil N |  | Dyeing, groundings and full aniline |
| Red Seranil CL |  | Dyeing, groundings and full aniline |
| Bordeaux Seranil N |  | Dyeing, groundings and full aniline |
| Brown Seranil CL |  | Dyeing, groundings and full aniline |
| Brown Seranil N |  | Dyeing, groundings and full aniline |
| Brown Seranil FO |  | Dyeing, groundings and full aniline |
| Blue Seranil CL |  | Dyeing, groundings and full aniline |
| Blue Seranil FO |  | Dyeing, groundings and full aniline |
| Black Seranil N |  | Dyeing, groundings and full aniline |
| TT-N°1 |  | Recuperation of non fashionable crust leather to black |

AUXILIARIES DYESTUFFS

| | NATURE | APPLICATION |
|----------------------|---------------------------------------|---------------------------------------|
| Ecotint S-300 | Special conditioner and wetting agent | Dyeing agent to penetrate crust hides |
| Disolac T | Mixture of solvents | Medium drying solvent for dyenig ink |

AUXILIARIES AND FEELING AGENTS

| | NATURE | APPLICATION |
|-----------------------|---------------------------------|-------------------------------------|
| Fix Top CT | Isocyanate | Catalyser agent for upholstery |
| Fix Top RI | Isocyanate | Crosslinking catalyser agent |
| Repelant ZW6/D | Water-proofing in aqueous means | Universal use water-proofing |
| Repelant Z-36 | Water-proofing in solvent means | Universal use water-proofing |
| Sergras 3400 | Wax | For pull-up and wax effects |
| Sergras 3500 | Wax | For pull-up and wax effects |
| Sergras 4000 | Synthetic oil | Pull-up effect |
| Sergras 4700 | Synthetic oil | Strong pull-up effect |
| Sergras 4800 | Synthetic oil | Pull-up effect |
| Sergras 4900 | Synthetic oil | Final top oil |
| Sermat LW-30 | Matting agent | Season and bottom bright regulation |
| Sertack W-47 | Feeling aqueous agent | Silicon of universal use |
| Sertack W-50 | Feeling aqueous agent | Feeling modifier |
| Sertack W-125 | Feeling aqueous agent | Feeling agent for garment |

CATIONIC SYSTEM

| | NATURE | APPLICATION |
|---------------------------------|--|------------------------------|
| Capafin K pigments range | Pigments | |
| Filler KM | Synthetic wax | Pre-bottom. Garment articles |
| Sercryl PU-AK | Urethane | Anchorage and touch |
| Sercryl PU-K | Urethane | Brushable groundings |
| Sertack K-52I | Product of synthesis | Feeling agent |
| Serground K-4 | Based on waxes and oils in cationic water emulsion | Cationic ground |

OTHER PRODUCT LINE



LIMP MAN is a cleaning cream for industrial use that eliminates perfectly all kinds of dirt produced by dyes, fats, pigments, in all cases where there is persistent dirt.

LIMP MAN protects your hands and leaves a good smell. Its composition based on lanoline and active products clean without irritations, regenerating the skin.

2-3 grams are enough for a perfect washing due to it is a very concentrated product.

Packing:
 125 cm³ - 30 units per box
 500 cm³ - 12 units per box
 1250 cm³ - 6 units per box
 5000 cm³ - 1 bucket

Note

In this schematic catalogue you will find our MAIN PRODUCTS.

For further information and full range of products please contact our comercial department or our website.